

Revision 11-11-2016	
Name Name origin Production start Production stop Tank size (litre) Notes	TR Trailed sprayer with hydraulic boom lift and manual fold. 1995 1999 1000, 1400 Breadloaf shaped tank supported on large diameter tube. Adjustable axle width.
Boom size (m) Boom name Name origin Production start Production stop Notes	10, 12, 15 MB Medium Boom 1982 15m stopped in 1986. Hydraulic boom lift. Manually cross folded. Trapeze suspension. Inner/outer sections have a stainless steel lock.


Name Name origin Production start Production stop Tank size (litre) Notes	TR 2000 Trailed sprayer 2000 litre series with hydraulic boom lift. 2000 2006 2000 Oval shaped tank supported on "C"profile channels. Single and tandem axle option.
Boom size (m) Boom name Name origin Production start Production stop Notes	13.5, 15, 18, 20, 21 SPB Spring suspended B version 1996 In production Trapeze suspension arms supported by coil springs. Hydraulic boom lift. Manual and hydraulic fold version.



Name Name origin Production start Production stop Tank size (litre) Notes	p 1996		
Boom size (m) Boom name Name origin Production start Production stop Notes	12, 15, 16, 18 SPA Spring suspended A version 1989 1997 Trapeze suspension arms supported by two coil springs. Hydraulic boom lift. Manual fold along side of tank.		

Name	ТҮ		
Name origin	Trailed sprayer with hydraulic boom lift an	d boom fold.	
Production start	1982		
Production stop	1996		
Tank size (litre)	1500, 2400, 3500		
Notes	Breadloaf shaped tank supported in deep	frame.	
Boom size (m)	12, 15	12, 15, 16, 18	20, 21, 24, 28
Boom name	НҮВ	LHY	MHY
Name origin	Hydraulic B version ("Seagull wing")	Light Hydraulic Y version	Medium Hydraulic Y version
Production start	1991	1982	1989
Production stop	2001	1998	2000
Notes	The breakaway functions in both forward and back direction. TRIPLET nozzle holders standard.	Hydraulic boom lift and fold. Trapeze suspension.TRIPLET nozzle holders standard.	Hydraulic boom lift and fold. Trapeze suspension.TRIPLET nozzle holders standard.






Name Name origin Production start Production stop Tank size (litre) Notes	TA Trailed air assisted sprayer with electric controlled hydraulic boom lift & fold. 1989 1996 1500, 2400, 3500 Breadloaf shaped tank supported in deep frame.		
Boom size (m)	12, 15, 16, 18	18, 20 21, 24	
Boom name	НАВ	HAC	
Name origin	Hydraulic Air-assisted Boom	Hydraulic Air-assisted Boom	
Production start	1988	1992	
Production stop	1998	1997	
Notes	Self contained hydraulic system to power single blower for air assisted boom.	Self contained hydraulic system to power single blower for air assisted boom.	
	Electricity controlled hydraulic lift, fold,	Electricity controlled hydraulic lift, fold,	
		slant, tilt and fold of outer sections only.	
	Trapeze suspension.TRIPLET nozzle	Trapeze suspension TRIPLET nozzle	
	holders standard.	holders standard. Cables from centre	
		section help support the boom wings.	



Name Name origin Production start Production stop Tank size (litre) Notes	COMMANDER New name series 1996 2000 2200, (2600), 2800, 3200, 4200 Drawbar bolted to tank frame.		
			No picture
Boom size (m) Boom name Name origin Production start Production stop Notes	12, 15, 16, 18 LHY Light Hydraulic Y version 1982 1998 Hydraulic boom lift and fold. Trapeze suspension.TRIPLET nozzle holders standard.	12, 15, 16, 18, 20, 21, 24 LHZ Light Hydraulic Z version 1982 1998 Electriclly controlled hydraulic boom lift, fold, slant, tilt and fold of outer sections only. Trapeze suspension.TRIPLET nozzle holders standard.	18, 20, 21, 24, 27, 28 OLH Olympic HARDI 1994 2001 Electriclly controlled hydraulic boom lift, fold, slant, tilt and fold. Pendulum suspension.TRIPLET nozzle holders standard.
	No picture	No picture	
Boom size (m) Boom name Name origin Production start Production stop Notes	18, 20, 21, 24, 27, 28 OLS Olympic S version 1994 2001 Hydraulic boom lift, fold, tilt, slant and fold. Hydraulics are indirect (switch and lever). Pendulum suspension.TRIPLET nozzle holders standard.	18, 20, 21, 24, 27, 28 OLV Olympic V version 1994 2001 Electriclly controlled hydraulic boom lift, fold, slant and fold. Pendulum suspension.TRIPLET nozzle holders standard.	20, 21, 24, 28 MHY Medium Hydraulic Y version 1989 2000 Hydraulic boom lift and fold. Trapeze suspension.TRIPLET nozzle holders standard.
Boom size (m) Boom name Name origin Production start Production stop Notes	12, 15, 16, 18 HAB Hydraulic Air-assisted B version 1988 1998 Self contained hydraulic system to power single blower for air assisted boom. Electriclly controlled hydraulic lift, fold, slant, tilt and fold of outer sections only. Trapeze suspension.TRIPLET nozzle holders standard.	18, 20, 21, 24 HAC Hydraulic Air-assisted C version 1992 1997 Self contained hydraulic system to power single blower for air assisted boom. ElectricIly controlled hydraulic lift, fold, slant, tilt and fold of outer sections only. Trapeze suspension.TRIPLET standard. Cables help support wings.	18, 20, 21, 24, 27, 28 HAY (TWIN FORCE) Hydraulic Air-assisted Y version 1997 In production Self contained hydraulic system to power two blowers for air assisted boom. Hydraulic lift and fold. Pendulum suspension.TRIPLET nozzle holders standard.







Name Name origin Production start Production stop Tank size (litre) Notes	COMMANDER plus Updated version of COMMANDER with d 2000 2005 2200, 2800, 3200, 4200 Drawbar hindged to tank frame.		
	No picture	No picture	No picture
Boom size (m) Boom name Name origin Production start Production stop Notes	15, 16, 18 LPY Light Pendulum Y version 1998 2005 Hydraulic boom lift and fold. Pendulum suspension.TRIPLET nozzle holders standard.	15, 16, 18, 20, 21, 24 LPZ Light Pendulum Z version 1998 2005 Electriclly controlled hydraulic boom lift, fold, slant, tilt and fold of outer sections only. Pendulum suspension.TRIPLET nozzle holders standard.	15, 16, 18, 20, 21, 24 LPV Light Pendulum V version 1998 2005 Electriclly controlled hydraulic boom lift, fold, slant and fold of outer sections only. Pendulum suspension.TRIPLET nozzle holders standard.
Boom size (m) Boom name Name origin Production start Production stop Notes	18, 20, 21, 24, 27, 28 OLH Olympic HARDI 1994 2001 ElectricIly controlled hydraulic boom lift, fold, slant, tilt and fold. Pendulum suspension.TRIPLET nozzle holders standard.	18, 20, 21, 24, 27, 28 OLS Olympic S version 1994 2001 Hydraulic boom lift, fold, tilt, slant and fold. Hydraulics are indirect (switch and lever). Pendulum suspension.TRIPLET nozzle holders standard.	18, 20, 21, 24, 27, 28 OLV Olympic V version 1994 2001 ElectricIly controlled hydraulic boom lift, fold, slant and fold. Pendulum suspension.TRIPLET nozzle holders standard.

E.



	No picture	No picture	
Boom size (m) Boom name Name origin Production start Production stop Notes	24, 27, 28, 30, 32, 36 GVA Geometry Variable Aluminium 2000 2004 Aluminium boom with electriclly controlled hydraulic boom lift, fold, slant, tilt and fold. Pendulum suspension. QUADRILET nozzle holders standard.	24, 27, 28, 30 GLA Geometry L Aluminium 2000 2004 Aluminium boom with electriclly controlled hydraulic boom lift, fold, slant and fold. Pendulum suspension. QUADRILET nozzle holders standard.	18, 20, 21 SPB Spring suspended B version 1996 In production Trapeze suspension arms supported by two coil springs. Hydraulic boom lift and fold.
Boom size (m) Boom name Name origin Production start Production stop Notes	24, 27, 28, 30 SPC Spring suspended C version 2002 In production Trapeze suspension arms supported by coil springs. Hydraulic boom lift. Manual and hydraulic fold version.	18, 20, 21, 24, 27, 28 HAY (TWIN FORCE) Hydraulic Air-assisted Y version 1997 In production Self contained hydraulic system to power two blowers for air assisted boom. Hydraulic lift and fold. Pendulum suspension.	 18, 20, 21, 24, 27, 28 HAZ (TWIN FORCE) Hydraulic Air-assisted Z version 1997 In production Self contained hydraulic system to power two blowers for air assisted boom. Electriclly controlled hydraulic boom lift, fold, slant, tilt and fold of outer sections only. Pendulum suspension.
Boom size (m) Boom name Name origin Production start Production stop Notes	24, 27, 28, 30 32, 33, 36 HPZ (FORCE) Hydraulic Pendulum Z version 2001 In production Electriclly controlled hydraulic boom lift, fold, slant, tilt and fold. Pendulum suspension.	24, 27, 28, 30 32, 33, 36 FTZ (FORCE) FORCE trapeze Z version 2001 In production ElectricIly controlled hydraulic boom lift, fold, slant, tilt and fold. Trapeze suspension.	



Name Name origin Production start Production stop Tank size (litre) Notes	COMMANDER classic Economy version of COMMANDER plus. 2003 2007 2200, 2800, 3200, 4200 Drawbar hindged to tank frame.		
Boom size (m) Boom name Name origin Production start Production stop Notes	12, 15, 16, 18 VHY (PRO) Vertical hydraulic Y version 2002 In production Hydraulic lift and fold. Boom folds to vertical position.	12, 15, 16, 18 VHZ (PRO) Vertical hydraulic Z version 2002 In production Electric over hydraulic lift and fold. Boom folds to vertical position.	18, 20, 21 SPB Spring suspended B version 1996 In production Trapeze suspension arms supported by two coil springs. Hydraulic boom lift and fold.
		No picture	No picture
Boom size (m) Boom name Name origin Production start Production stop Notes	24, 27, 28, 30 SPC Spring suspended C version 2002 In production Trapeze suspension arms supported by coil springs. Hydraulic boom lift. Manual and hydraulic fold version.	15, 16, 18 LPY Light Pendulum Y version 1998 2005 Hydraulic boom lift and fold. Pendulum suspension.	15, 16, 18, 20, 21, 24 LPZ Light Pendulum Z version 1998 2005 Electriclly controlled hydraulic boom lift, fold, slant, tilt and fold of outer sections only. Pendulum suspension.



Name Name origin Production start Production stop Tank size (litre) Notes	COMMANDER 2005 Global COMMANDER 2005 (For 6600, start in 2006) 2011 3200, 4400, 6600 RinseTank placed over axle. Introduction	of SafeTrack.	
			No picture
Boom size (m) Boom name Name origin Production start Production stop Notes	18, 20, 21, 24, 27, 28 LPY Light Pendulum Y version 1998 In production Hydraulic boom lift and fold. Pendulum suspension.	18, 20, 21, 24, 27, 28 LPZ Light Pendulum Z version 1998 In production Electric over hydraulic lift and fold. Pendulum suspension.	24, 27, 28, 30 32, 33, 36 HPZ (FORCE) FORCE pendulum Z version 2001 In production Electriclly controlled hydraulic boom lift, fold, slant, tilt and fold. Pendulum suspension.
	No picture	No picture	
Boom size (m) Boom name Name origin Production start Production stop Notes	18, 20, 21, 24, 27, 28, 30, 32, 33, 36 HAY (TWIN FORCE) Hydraulic Air-assisted Y version 1997 In production Self contained hydraulic system to power two blowers for air assisted boom. Hydraulic boom lift and fold. Pendulum suspension.	 18, 20, 21, 24, 27, 28, 30, 32, 33, 36 HAZ (TWIN FORCE) Hydraulic Air-assisted Z version 1997 In production Self contained hydraulic system to power two blowers for air assisted boom. Electriclly controlled hydraulic boom lift, fold, slant, tilt and fold of outer sections only. Pendulum suspension. 	